

Perceptive Content Email Agent

Release Notes

Version: 1.5.x

Written by: Documentation Team, R&D
Date: February 2026



Documentation Notice

The information and software described in this document are furnished only under a separate agreement and may only be used or copied according to the terms of such agreement. It is against the law to copy the software except as specifically allowed in such agreement. Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright law, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written permission of Hyland Software, Inc. and/ or one of its affiliates.

Hyland, OnBase, Alfresco, Nuxeo, Content Innovation Cloud and other product or brand names are registered and/or unregistered trademarks of Hyland Software, Inc. and its affiliates in the United States and other countries. All other trademarks, service marks, trade names and products of other companies are the property of their respective owners.

Confidential © 2025 Hyland Software, Inc. and its affiliates.

The information in this document may contain technology as defined by the Export Administration Regulations (EAR) and could be subject to the Export Control Laws of the U.S. Government including for the EAR and trade and economic sanctions maintained by the Office of Foreign Assets Control as well as the export controls laws of your entity's local jurisdiction. Transfer of such technology by any means to a foreign person, whether in the United States or abroad, could require export licensing or other approval from the U.S. Government and the export authority of your entity's jurisdiction. You are responsible for ensuring that you have any required approvals prior to export.

DISCLAIMER: This documentation contains available instructions for a specific Hyland product or module. This documentation is not specific to a particular customer or industry. All data, names, and formats used in this document's examples are fictitious unless noted otherwise. This document may reference websites operated by third parties. In such a case, Hyland has no control or liability for the content of such third-party websites. The inclusion of such a link shall not constitute an endorsement or affiliation with such a third-party website; the reference is provided for information purposes only. If you have questions about discrepancies in this document, please contact Hyland. Hyland customers are responsible for making their own independent assessment of the information in this documentation. This documentation: (a) is for informational purposes only, (b) is subject to change without notice, (c) is confidential information of Hyland Software, Inc. and its affiliates and (d) does not create any commitments or assurances by Hyland. This documentation is provided "as is" without representation or warranty of any kind. Hyland expressly disclaims all implied, express, or statutory warranties. Hyland's responsibilities and liabilities to its customers are controlled by the applicable Hyland agreement. This documentation does not modify any agreement between Hyland and its customers.

Table of Contents

Documentation Notice	2
Overview	5
Perceptive Content Email Agent 1.5.4 Release (February, 2026).....	5
Perceptive Content Email Agent 1.5.3 Release (November, 2025)	5
Perceptive Content Email Agent 1.5.2 Release (March, 2025).....	5
Perceptive Content Email Agent 1.5.1 Release (May, 2024)	5
Perceptive Content Email Agent 1.5.0 Release (June 23, 2023).....	6
Perceptive Content Email Agent 1.4.5 Release (May 26, 2023)	6
Perceptive Content Email Agent 1.4.4 Release (January 12, 2023)	6
Perceptive Content Email Agent 1.4.2 Release (September 13, 2022)	7
Perceptive Content Email Agent 1.4.1 Release (August 1, 2022).....	7
Perceptive Content Email Agent 1.3.4 Release (May 3, 2021)	7
Perceptive Content Email Agent 1.3.3 Release (March 26, 2021)	7
Perceptive Content Email Agent 1.3.2 Release (November 10, 2020)	7
Perceptive Content Email Agent 1.3.1 Release (April 29, 2020).....	7
Perceptive Content Email Agent 1.2.9 Release (February 10, 2019).....	8
Perceptive Content Email Agent 1.2.8 Release (October 16, 2019)	8
Perceptive Content Email Agent 1.2.7 Release (August 10, 2019).....	8
Perceptive Content Email Agent 1.2.6 Release (August 1, 2019).....	8
Perceptive Content Email Agent 1.2.5 Release (March 26, 2019)	8
Perceptive Content Email Agent 1.2.4 Release (January 31, 2019)	9
Perceptive Content Email Agent 1.2.3 Release (October 31, 2018)	9
Perceptive Content Email Agent 1.2.2 Release (May 30, 2018)	9
Perceptive Content Email Agent 1.2.1 Release (April 30, 2018).....	9
Perceptive Content Email Agent 1.2.0 Release (February 23, 2018).....	10
Perceptive Content Email Agent 1.1.1 Release (November 10, 2017)	10
Perceptive Content Email Agent 1.1.0 Release (September 10, 2017)	10
Perceptive Content Email Agent 1.0.16 Release (April 6, 2017).....	11
Perceptive Content Email Agent 1.0.13 Release (March 24, 2017)	11
Perceptive Content Email Agent 1.0.12 Release (January 31, 2017)	11
Perceptive Content Email Agent 1.0.11 Release (December 9, 2016).....	11
Perceptive Content Email Agent 1.0.10 Release (September 22, 2016)	12
Perceptive Content Email Agent 1.0.9 Release (September 9, 2016)	12

Perceptive Content Email Agent 1.0.8 Release (June 10, 2016)	12
Perceptive Content Email Agent 1.0.7 Release (April 11, 2016)	12
Perceptive Content Email Agent 1.0.6 Release (February 10, 2016)	13
Perceptive Content Email Agent 1.0.5 Release (November 6, 2015)	13
Perceptive Content Email Agent 1.0.3 Release (October 9, 2015)	14
Perceptive Content Email Agent 1.0.2 Release (September 10, 2015)	14

Overview

Perceptive Content Email Agent collects and manages email in the Perceptive Content system. Email Agent captures and indexes email messages. The agent can then route messages through workflow queues and forward the messages based upon settings you configure. As a server-side process, the agent delivers your emailed information, including attachments and graphics, to Perceptive Content for review and processing

Note To update the agent or upgrade from a previous version, see to the *Perceptive Content Email Agent Installation and Setup Guide 1.2.x*.

Perceptive Content Email Agent 1.5.4 Release (February, 2026)

The following update is included in this patch.

Update

- Added support for authentication scopes with custom Microsoft authorities. You can now configure a comma-delimited list of permissions scopes used when connecting to EWSCS or EWSROPC servers. (PER-12616)

Perceptive Content Email Agent 1.5.3 Release (November, 2025)

The following update is included in this patch.

Update

- Resolved an issue where temporary files would not be deleted while splitting tif files. (PER-12138)
Note: While Email Agent is disabled, you should delete any remaining files that start with “emailagenttemp” in your temporary directory.
- Added configuration to control the authentication authority url for EWS protocol connections. (PER-12176)

Perceptive Content Email Agent 1.5.2 Release (March, 2025)

The following update is included in this patch.

Update

- Updated libraries with latest version to fix potential security vulnerability [CVE-2024-38819](#). (PER-11446)

Perceptive Content Email Agent 1.5.1 Release (May, 2024)

The following update is included in this patch.

Update

- Corrected automatic wrapper.working.dir detection for the Linux and Windows Installers. (PER-8851)

- Corrected the service description for the Linux and Windows service registrations. (PER-8851)
- Adjusted YAJSW configuration to enable daily log rolling with a maximum 60 day archive to prevent an infinitely growing log file cause by the Yet Another Java Service Wrapper (YAJSW) upgrade introduced in Email Agent 1.4.5. (PER-9165)
- Added a JAVA_HOME environment variable check to the Windows installation to prevent the installer from registering a service that cannot be started because of a trailing '\ ' on the JAVA_HOME. (PER-9165)

Perceptive Content Email Agent 1.5.0 Release (June 23, 2023)

The following update is included in this patch.

Update

- Added HTTP, HTTPS, and SOCKS proxy support. (PER-7410)
Note: SMTP, SMTPS, GSMTP, GTOkensMTP protocols will only connect to SSL port (normally 465) when using an HTTP or HTTPS proxy.
- GSMTP and GTOkensMTP now uses the server.outgoing.starttls setting. This allows turning starttls off to connect using the SSL port over HTTPS proxy. On upgrade review this setting and set server.outgoing.starttls to true to preserve preexisting behavior as this value defaults to false. (PER-7410)
- When outgoing or incoming servers and ports are missing when required an exception will be thrown, thus causing EmailAgent to not startup until the problem is resolved. (PER-7410)

Perceptive Content Email Agent 1.4.5 Release (May 26, 2023)

The following update is included in this patch.

Update

- Updated spring-core framework dependencies from 5.3.22 to 5.3.27. (PER-8213)
- Update Yet Another Java Service Wrapper (YAJSW) from 13.02 to 13.09. (PER-8213)

Perceptive Content Email Agent 1.4.4 Release (January 12, 2023)

The following update is included in this patch.

Update

- Resolved an issue where the system would fail to forward emails when TIF splitting fails. (PER-7679)
- Resolved an issue where the system would forward an email with empty attachment files with the EWS, EWSCS, and EWSROPC protocols. (PER-7672)
- Updated com.microsoft.azure.ms4j from 1.3.0 to 1.13.3. (PER-7545)

Perceptive Content Email Agent 1.4.2 Release (September 13, 2022)

The following update is included in this patch.

Update

- Updated spring-core framework dependencies to a newer version. (PER-7265)

Perceptive Content Email Agent 1.4.1 Release (August 1, 2022)

The following update is included in this patch.

Update

- Email Agent now supports an interactive authentication mechanism for Gmail connections. (PER-7186)
- Email Agent now supports Java 11 and 17. (PER-6988)

Perceptive Content Email Agent 1.3.4 Release (May 3, 2021)

The following updates are included in this patch.

Updates

- Resolved an issue with Email Agent unexpectedly closing when logging message attachments. (PC-90352)

Perceptive Content Email Agent 1.3.3 Release (March 26, 2021)

The following updates are included in this patch.

Updates

- Resolved an issue where the Mail agent stopped polling the cloud mailboxes. (PC-90106)

Perceptive Content Email Agent 1.3.2 Release (November 10, 2020)

The following updates are included in this patch.

Updates

- Resolved an issue where a password was incorrectly required when the user configured no password when no username is used for the outgoing server using the SMTP or SMTPS protocols. (PC-89704)

Perceptive Content Email Agent 1.3.1 Release (April 29, 2020)

The following updates are included in this patch.

Updates

- Email Agent now supports Gmail OAuth 2.0 authentication for EWS and Gmail. (PC-89051)

Perceptive Content Email Agent 1.2.9 Release (February 10, 2019)

The following updates are included in this patch.

Updates

- Resolved an issue that prevented users from mapping pipe (|) delimited fields and the entire_header special field to the document.notes field. (PC-89006)

Perceptive Content Email Agent 1.2.8 Release (October 16, 2019)

The following updates are included in this patch.

Updates

- Resolved an issue where an intermittent failure in Single mode capture profiles caused Email Agent to incorrectly omit some documents from workflow. (PC-88637)

Perceptive Content Email Agent 1.2.7 Release (August 10, 2019)

The following updates are included in this patch.

Updates

- Resolved an issue that prevented Email Agent from displaying the header email address when document.emailPreferHTML was set to TRUE. (PC-88485)

Perceptive Content Email Agent 1.2.6 Release (August 1, 2019)

The following updates are included in this patch.

Updates

- Resolved an issue in Microsoft Office 365 that caused Email Agent to incorrectly capture HTML characters when end of line (EOL) was specified as a search operator. To prevent this, you must set the document.emailPreferHTML flag to FALSE in the emailAgent.ini configuration file. (PC-88402)

Perceptive Content Email Agent 1.2.5 Release (March 26, 2019)

The following updates are included in this patch.

Updates

- Added a new setting, `document.inline.attachments.include`, to the `emailAgent.ini` file, which allows you to capture only inline attachments. For more information, see the Email Agent Installation Guide. (PC-87929)
- Resolved an issue that would caused Email Agent to incorrectly reply to an email with the address value in the To: or CC: address fields instead of the From: address field when auto-reply was set to TRUE. (PC-88029)
- Resolved an issue that prevented Email Agent from running on Linux if multiple versions of Java were installed. (PC-88041)

Perceptive Content Email Agent 1.2.4 Release (January 31, 2019)

The following updates are included in this patch.

Updates

- Four new settings have been added to the `emailAgent.ini` file: `document.notes.addressformat`, `document.keys.field[1-5].addressformat`, `document.keys.documentType.addressformat` and `document.keys.drawer.addressformat`. For more information, see the Email Agent Installation Guide. (PC-87750)

Perceptive Content Email Agent 1.2.3 Release (October 31, 2018)

The following updates are included in this patch.

Updates

- Resolved an issue that caused Email Agent to not delete temporary files. (PC73178)

Perceptive Content Email Agent 1.2.2 Release (May 30, 2018)

The following updates are included in this patch.

Updates

- The default value of the `emailAgent.ini` `movefailedmessage` setting is now set to FALSE. (TFS76954)

Perceptive Content Email Agent 1.2.1 Release (April 30, 2018)

The following updates are included in this patch.

Updates

- Resolved an issue that required you to restart Email Agent when the system unsuccessfully processed emails that contained specific characters. (DE25516)

Perceptive Content Email Agent 1.2.0 Release (February 23, 2018)

The following updates are included in this patch.

Updates

- Enhanced logging with the addition of several emailAgent.ini settings and repurposed the level setting.

New settings in the **Logging** group include **policy.type**, **policy.time.rolloverperiod**, **policy.time.maxhistory**, **policy.size.maxmbsize**, and **policy.size.maxlogstokeep**.

- Added the ability to configure Email Agent to move email messages that fail to process from the inbox to another folder, which includes several new emailAgent.ini settings.

New settings in the **Email<n>** group include **createprofilelog**, **server.incoming.logHeaders**, **server.incoming.logAttachments**, **notifyprocessfailure**, **notifyprocessfailure.email**, **movefailedmessage**, and **movefailedmessage.foldername**.

- Resolved an issue where Email Agent would add documents to workflow twice. (DE25202)

Perceptive Content Email Agent 1.1.1 Release (November 10, 2017)

The following updates are included in this patch.

Updates

- Resolved an issue where the system did not log data encoding errors. Now all errors are being logged. (TFS72089, DE15923)
- Resolved an issue where the system did not create a summary body page for some emails. The system now allows users to define a setting in the emailagent.ini file that allows a page to be created when the message body of the email is null. The configuration is `document.emailcreatepagefornullbody`. (TFS74437, DE24516)
- Resolved an issue where the system required a user to manually remove an email from the inbox if Email Agent failed to successfully receive and process the email, requiring a restart of Email Agent. Unprocessed messages are now logged and do not halt Email Agent processes. (DE25024)

Enhancements

- The system now creates a txt file listing document and page IDs for emails that could not be captured. (DE25067)
- There are two new settings in the ini file that enable an email notification to be sent with an error message when an email capture was not completed successfully. (DE25067)

Perceptive Content Email Agent 1.1.0 Release (September 10, 2017)

The following updates are included in this patch.

Updates

- Agent-specific credentials can now be created for Email Agent using agent authentication tokens.

Perceptive Content Email Agent 1.0.16 Release (April 6, 2017)

The following updates are included in this patch.

Updates

- Resolved an issue where the system did not verify the existence of email headers before processing. Now the **ignore** and **strip_invalid_character** settings enable validation that email headers were sent from the email server. (TFS72379)

Perceptive Content Email Agent 1.0.13 Release (March 24, 2017)

The following updates are included in this patch.

Updates

- Resolved an issue where Email Agent sometimes did not import emails containing nested email attachments from Microsoft Exchange 2007. (DE55305, TFS16984)
- Resolved an issue where Email Agent would stop processing an email if it contained single quotes or trailing periods in the email address. (DE56219)

Perceptive Content Email Agent 1.0.12 Release (January 31, 2017)

The following updates are included in this patch.

Updates

- Resolved an issue that sometimes caused emails with an attachment but no body to be appended to the previously processed email. (DE56089, TFS71557)
- Resolved an issue that caused the timestamp value to set to GMT instead of the time zone where the server is located. (DE56268, TFS24278)
- Resolved an issue where when the document.emailPreferHTML setting was set to FALSE, some HTML documents were not formatted correctly when imported into Perceptive Content. (DE56354, TFS24298)

Perceptive Content Email Agent 1.0.11 Release (December 9, 2016)

The following updates are included in this patch.

Updates

- Resolved an issue that sometimes prevented Email Agent from processing emails for accounts locked in Microsoft Active Directory. (DE54354, TFS16546)
- Email Agent now correctly searches email bodies, even if configured to not capture the email message. (DE54609, TFS16648)
- Resolved an issue which prevented Email Agent from writing to the connection debug log files. (DE55649, TFS23286)

- Resolved an issue with EWS protocol that prevented Email Agent from processing emails with an empty content type. (DE55655)

Perceptive Content Email Agent 1.0.10 Release (September 22, 2016)

The following update is included in this patch.

Update

- Email Agent now correctly includes the X-IntegrationServer-Request-Date required header on all requests. (DE54355, TFS16780)

Perceptive Content Email Agent 1.0.9 Release (September 9, 2016)

The following update is included in this patch.

Update

- Email Agent now correctly imports MSG files attached to emails sent from a desktop version of Microsoft Outlook. (DE54799)

Perceptive Content Email Agent 1.0.8 Release (June 10, 2016)

Note Due to a Microsoft Office 365 bug, Email Agent could not successfully download an EML file attachment when sent from Gmail to an Office 365 account. The issue was resolved through a fix released by Microsoft for Office 365. For patch details, refer to the Office 365 documentation.

The following update is included in this patch.

Update

- Resolved an issue where Email Agent did not correctly capture emails that only had attachments. (DE52960, TFS15647)

Perceptive Content Email Agent 1.0.7 Release (April 11, 2016)

The following enhancements and updates are included in this release.

Enhancements

- Email Agent now supports Exchange Web Service. For more information, see the *Perceptive Content Email Agent Installation and Setup Guide*.
- The following settings were added to Email Agent to allow you to specify document notes methods and values. For more information, see the *Perceptive Content Email Agent Installation and Setup Guide*.
 - document.notes.type

- `document.notes`
- `document.notes.type.serial.format`
- `document.notes.type.serial.start`
- `document.notes.dateformat`

Note This enhancement requires Perceptive Integration Server 7.1.3 or higher.

Updates

- Resolved an issue where Email Agent did not correctly capture emails that only had attachments. (DE49884, TFS15647)
- Email Agent does not support S/MIME and PGP/MIME emails. Email Agent now skips these emails during the import process. (US90209)

Perceptive Content Email Agent 1.0.6 Release (February 10, 2016)

The following updates are included in this patch.

Updates

- Resolved an issue where some attachment file names were excluded from the footer. Now, attachment file names with file types specified in the `document.attachment.excluded` settings list are added to the end of the email body text, if `document.attachments` and `document.emailfooter` are set to TRUE. (TFS5419)
- Resolved an issue where Email Agent sometimes mapped emails to the default drawer instead of the defined drawer for the email's name property. (TFS9746)
- Resolved an issue where emails were sometimes not imported when Email Agent was configured to assign document keys automatically to Field1-5. (TFS9783)
- Resolved an issue that caused inline graphics to be imported as separate pages, even when the `document.inline` setting was set to FALSE. This occurred when the email was digitally signed using Microsoft Outlook. (TFS14383)

Perceptive Content Email Agent 1.0.5 Release (November 6, 2015)

The following updates are included in this patch.

Updates

- Email Agent now captures attachments into separate documents when the `document.email` setting is FALSE. Previously, Email Agent appended the attachments to the same document, even though they were from different email messages. (DE47810, TFS15282)
- Resolved an issue that prevented Email Agent from connecting to SMTP servers that do not require authentication. (DE48366, TFS15360)

Perceptive Content Email Agent 1.0.3 Release (October 9, 2015)

The following updates are included in this patch.

Updates

- Email Agent can now connect to outbound SMTP servers set up for anonymous authentication. (DE40790, TFS13729)
- Resolved an issue where Email Agent would sometimes import the body of an email using big-endian encoding, which caused display issues when viewing. Email Agent now uses UTF-8 encoding. (DE46934, TFS15086)
- Email Agent now accepts protocol information in upper or lowercase when installing or configuring the agent. (TFS15088)

Perceptive Content Email Agent 1.0.2 Release (September 10, 2015)

The following updates are included in this patch.

Updates

- A warning now appears when attempting to install two instances of Email Agent in the same directory.
- Resolved an issue where email messages were not imported when the `work.type` setting was equal to `SCHEDULED`.
- Outgoing passwords are now encrypted.